

IN THE CLAIMS

Please amend the claims as follows:

1. (original) A response system for detecting, locating and responding to a person in an abnormal physiological condition, said system comprising positioning means arranged to provide an information about an actual location of the person and monitoring means arranged to monitor an abnormality in the physiological condition of the person, said monitoring means comprising:

- a sensor to acquire a signal related to a physiological condition of the patient;

- a processor to process the acquired signal in order to establish where the abnormal condition has occurred, said processor being arranged to produce a trigger signal to generate an alarm;

- an alarm generating means arranged to generate the alarm upon a receipt of the trigger signal, said alarm generating means being further arranged to provide an indication of a location of the person said indication of the location being provided by the positioning means,

characterized in that the system further comprises a portable position indication marker (PIM) device, the positioning means being arranged to communicate to the PIM device, said PIM device comprising a storage unit to store a position information and

transmitting means to transmit the position information to the positioning means.

2. (original) A system according to claim 1, characterized in that the position indication marker device comprises an interface arranged to download the position information from a satellite navigation system.

3. (currently amended) A system according to claim 1 ~~or 2~~, characterized in that the position indication marker device is further arranged to download the position information from a terrestrial positioning signal.

4. (currently amended) A system according to ~~any of the preceding claims~~ claim 1, characterized in that the position indication marker device is further arranged to download the position information from a pre-set table of dwell positions stored in the storage unit.

5. (original) A system according to claim 2, characterized in that the position indication marker device comprises a micro-processor arranged to validate said interface, said micro-processor being arranged to store the last co-ordinates upon an event of a broken contact with the satellite navigation system.

6. (currently amended) A system according to ~~any of the preceding~~
~~claims~~claim 1, characterized in that the abnormal physiological
condition is a cardiac arrest.

7. (original) A portable position indication marker device (PIM),
suitable for use in the system as claimed in Claim 1, characterized
in that said device comprises a position deriving means arranged to
derive the position information, a storage unit to store the
position information, an identification unit arranged to respond to
a linked-up positioning system and a transmitter to transmit the
position information to the linked-up positioning system.

8. (original) A portable position indication marker device, as
claimed in Claim 7, characterized in that the position deriving
means comprise an interface arranged to download the position
information from a satellite navigation system.

9. (original) A portable position indication marker device, as
claimed in Claim 7, characterized in that the position deriving
means are arranged to download the position information from a
terrestrial positioning system.

10. (original) A portable position indication marker device, as claimed in Claim 7, characterized in that the position deriving means are arranged to download the position information from a pre-set table of dwell positions stored in the storage unit.

11. (original) A portable position indication marker device, as claimed in Claim 7, characterized in that the position deriving means are arranged to read-out a pre-stored position information from a chip-card.

12. (currently amended) A position indication marker according to ~~any one of the preceding Claims 7 to 11~~claim 7, characterized in that said device is programmable by means of a user interface.